

Apple Watch 的 表带 如何 更换

如何 更换 :

- 将 表带 从 表盘 上 取下
- 将 新的 表带 插入 表盘 的 卡扣 中
- 确保 表带 已 牢固 固定 在 表盘 上

如何 拆卸 :

1. 将 表带 从 表盘 上 取下 :

将 表带 从 表盘 的 卡扣 中 取出。 将 表带 的 末端 插入 表盘 的 卡扣 中。 将 表带 的 末端 从 表盘 的 卡扣 中 取出。

2. Skin 表带, 将 表带 从 表盘 上 取下。 将 表带 的 末端 插入 表盘 的 卡扣 中。

3. 如何 拆卸 :

将 表带 从 表盘 的 卡扣 中 取出。 将 表带 的 末端 插入 表盘 的 卡扣 中。 将 表带 的 末端 从 表盘 的 卡扣 中 取出。

4. 将 表带 从 表盘 的 卡扣 中 取出。 将 表带 的 末端 插入 表盘 的 卡扣 中。 将 表带 的 末端 从 表盘 的 卡扣 中 取出。



#1



#2



#3



#4



#5




#6




#7

Wrist Size Measurement



1

Wrap the rope to your wrist tight and then make a mark on it.



2

Measure the rope length from zero scale to the marked position with a ruler.

small

6.3–7.8 inches
160mm–200mm

Large

7.5–9.2 inches
190mm–235mm





Easy disassembly and assembly of ear buttons



Classic rebound with stainless steel button, can't be thrown off wildly




Easy disassembly
and assembly of ear buttons



Classic rebound with stainless
steel button, can't be thrown off wildly




Easy disassembly
and assembly of ear buttons



Classic rebound with stainless
steel button, can't be thrown off wildly



Easy disassembly
and assembly of ear buttons



Classic rebound with stainless
steel button, can't be thrown off wildly